

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM

Độc Lập – Tự Do – Hạnh Phúc

---oOo---

BẢN TỰ CÔNG BỐ SẢN PHẨM

SỐ: 18 /2018/0313789985/CBSP

I. Thông tin về tổ chức, cá nhân tự công bố sản phẩm

Tên tổ chức, cá nhân: Công Ty TNHH Vinoteka

Địa chỉ: 153/25 Nguyễn Văn Hương, Thảo Điền, Quận 2, TPHCM

Điện thoại: +84 (28) 3636 9856 Fax: N/A

E-mail: s.a@vinotekavn.onmicrosoft.com

Mã số doanh nghiệp: 0313789985

Số Giấy chứng nhận cơ sở đủ điều kiện ATTP: Ngày Cấp/Nơi cấp:

(đối với cơ sở thuộc đối tượng phải cấp Giấy chứng nhận cơ sở đủ điều kiện an toàn thực phẩm theo quy định)

II. Thông tin về sản phẩm

1. Tên sản phẩm: rượu vang nho **RICHMOND PLAINS NELSON BLANC DE NOIR**

2. Thành phần: 100% nho lên men.

3. Thời hạn sử dụng sản phẩm: không có thời hạn.

4. Quy cách đóng gói và chất liệu bao bì: chai thủy tinh, nút bần.


5. Tên và địa chỉ cơ sở sản xuất sản phẩm (trường hợp thuê cơ sở sản xuất

APPLEBY VINTNERS LIMITED , địa chỉ: 108 McShane Road, Nelson, New Zealand

– Điện thoại: 0064 35447585.


Mẫu nhãn sản phẩm (đính kèm mẫu nhãn sản phẩm hoặc mẫu nhãn sản phẩm dự kiến).





Richmond Plains

BLANC DE NOIR
NELSON • NEW ZEALAND



Richmond Plains

BLANC DE NOIR • 2017

Richmond Plains produced New Zealand's first certified ORGANIC Sauvignon Blanc and Pinot Noir. We 'Work with Nature' to develop a healthy and balanced vineyard which combines with Nelson's cool maritime climate and high sunshine hours to produce vibrant, elegant wines. Established in 1991, Richmond Plains is a small family vineyard owned by Lars and Sam Jensen.

Our 2017 Blanc de Noir is a still white wine made from hand picked Pinot Noir grapes. This delicious wine is concentrated and softly textured with peach, strawberry and floral characters with hints of spice adding complexity.


Produced and bottled by Richmond Plains Wines,
McShane Rd Richmond, Nelson, NZ


VEGAN WINE

750ml
13.5%vol.

Contains Sulphites
Contains approx 8.0 standard drinks

New Zealand Wine
www.richmondplains.co.nz





18'
ON
TI
IN
PH

NHÃN PHỤ SẢN PHẨM

RICHMOND PLAINS NELSON BLANC DE NOIR

Tên sản phẩm	: Rượu Vang nho RICHMOND PLAINS NELSON BLANC DE NOIR
Thể tích thực	: 750 ml
Hàm lượng ethanol	: 13.5% Vol
Hạn sử dụng	: Không quy định hạn sử dụng
Thành phần	: 100% nho lên men
Hướng dẫn sử dụng	: Uống trực tiếp
Bảo quản	: Bảo quản nơi khô ráo, thoáng mát
Nhiệt độ bảo quản	: +5~20°C
Xuất xứ	: New Zealand
Nhà sản xuất	: APPLEBY VINTNERS LIMITED , địa chỉ: 108 McShane Road, Nelson, New Zealand
Nhà nhập khẩu	: Công ty TNHH Vinoteka
Số TNCB	: Địa chỉ: 153/25 Nguyễn Văn Hưởng, Phường Thảo Điền, Quận 2, Thành phố Hồ Chí Minh. /2018/ATTP/TNCB

III. Yêu cầu về an toàn thực phẩm

Tổ chức, cá nhân sản xuất, kinh doanh thực phẩm đạt yêu cầu về an toàn thực phẩm theo:

QCVN 6-3:2010/BYT Quy chuẩn kỹ thuật quốc gia đối với các sản phẩm đồ uống có cồn.
QCVN 8-1:2011/BYT: Quy chuẩn kỹ thuật quốc gia đối với giới hạn ô nhiễm độc tố vi nấm trong thực phẩm.

Chúng tôi xin cam kết thực hiện đầy đủ các quy định của pháp luật về an toàn thực phẩm và hoàn toàn chịu trách nhiệm về tính pháp lý của hồ sơ công bố và chất lượng, an toàn thực phẩm đã công bố.

Hồ Chí Minh, ngày 05 tháng 11 năm 2018

ĐẠI DIỆN TỔ CHỨC

Giám đốc



Sitari Alexandru



Hill Laboratories

TRIED, TESTED AND TRUSTED

R J Hill Laboratories Limited
28 Duke Street Frankton 3204
Private Bag 3205
Hamilton 3240 New Zealand

T 0508 HILL LAB (44 555 22)
T +64 7 858 2000
E mail@hill-labs.co.nz
W www.hill-laboratories.com

Certificate of Analysis

Page 1 of 2

Client: Appleby Vintners Limited	Lab No: 2022885	SPV1
Contact: Greg Mills	Date Received: 30-Jul-2018	
C/- Appleby Vintners Limited	Date Reported: 02-Aug-2018	
108 McShanes Road	Quote No:	
RD 1	Order No:	
Richmond 7081	Client Reference: L17BN02FO	
	Add. Client Ref: WB/18/04876	
	Submitted By: Greg Mills	

Sample Type: White Wine		Sample Name:	WTR18X4527
		Lab Number:	2022885.1
Total Alcoholic Strength	% v/v	13.9	-
Actual Alcoholic Strength	% v/v	13.4	-
Total Acidity (pH 7.0)	g/L as Tartaric Acid	6.4	-
Volatile Acidity	g/L as Acetic Acid	0.32	-
Citric Acid	g/L	0.22	-
Sorbic Acid*	mg/L	< 2	-
Total Dry Extract	g/L	30.4	-
Total Sugars	g/L	8.80	-
Total Sulphur Dioxide	mg/L	104	-

Analyst's Comments

2017 Richmond Plains Nelson Blanc de Noir

Sample 1 Comment:
The reported result of Sorbic Acid is below the detection limit of 2 mg/L. The detection limit is the concentration below which the method of analysis becomes too uncertain to report a quantified value. Sorbic acid may or may not be present at concentrations below this value. It is not possible to state that there is a concentration of 0 mg/L with any confidence, for any analytical method.

Summary of Methods

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively clean matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis.

Sample Type: White Wine		Method Description	Default Detection Limit	Sample No
Test	Method Description	Default Detection Limit	Sample No	
Total Alcoholic Strength	Calculation: Actual Alcoholic Strength (%v/v) + 0.06 x Total Sugar (g/L), where Total Sugar is calculated as Fructose (g/L) + Glucose (g/L). Wine Notice - Laboratories Recognised for Testing of Wine for Export, Ministry for Primary Industries, 2014.	0.1 % v/v	1	
Actual Alcoholic Strength	Alcolyser. Analysis performed by Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim.	0.1 % v/v	1	
Total Acidity (pH 7.0)	Titration to pH 7.0 with 0.1 M sodium hydroxide - autotitrator. Analysis performed at Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim. OIV Compendium of International Methods of Analysis of Wines and Musts, 2016, OIV-MA-AS313-01 (autotitrator).	0.2 g/L as Tartaric Acid	1	
Volatile Acidity	Discrete analyser. Analysis performed at Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim.	0.02 g/L as Acetic Acid	1	
Citric Acid	Discrete analyser. Analysis performed at Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim. Based on OIV Compendium of International Methods of Analysis of Wines and Musts, 2016, OIV-MA-AS313-09 (modified for discrete analyser).	0.02 g/L	1	



This Laboratory is accredited by International Accreditation New Zealand (IANZ), which represents New Zealand in the International Laboratory Accreditation Cooperation (ILAC). Through the ILAC Mutual Recognition Arrangement (ILAC-MRA) this accreditation is internationally recognised. The tests reported herein have been performed in accordance with the terms of accreditation, with the exception of tests marked *, which are not accredited.




Sample Type: White Wine			
Test	Method Description	Default Detection Limit	Sample No
Sorbic Acid*	Dilution. Analysis by HPLC-UV. EU Official Methods for Wine Testing (modified - HPLC-UV). AOAC 994.11 (modified).	2 mg/L	1
Total Dry Extract	Calculation and intrapolation of OIML tables using S.G and Alcoholic strength. OIV Compendium of International Methods of Analysis of Wines and Musts, 2016, OIV-MA-AS2-03B.	0 g/L	1
Total Sugars (as Glucose + Fructose)	Discrete analyser. Analysis performed at Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim. Based on OIV Compendium of International Methods of Analysis of Wines and Musts, 2016, OIV-MA-AS311-02 (modified for discrete analyser).	0.10 g/L	1
Total Sulphur Dioxide	Discrete analyser. Analysis performed at Hill Laboratories - Wine & Beverage; Grovetown Park, SH 1, Blenheim.	10 mg/L	1

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Samples are held at the laboratory after reporting for a length of time depending on the preservation used and the stability of the analytes being tested. Once the storage period is completed the samples are discarded unless otherwise advised by the client.

This certificate of analysis must not be reproduced, except in full, without the written consent of the signatory.



Hamish Keown MSc (Hons)
Laboratory Site Manager - Blenheim Branch





KT3-00116ATP9/9

PHIẾU KẾT QUẢ THỬ NGHIỆM
TEST REPORT

11/01/2019
 Page 01/01

1. Tên mẫu : **RICHMOND PLAINS NELSON BLANC DE NOIR**
 - Name of sample
2. Mô tả mẫu : Mẫu thử nghiệm do khách hàng lấy mẫu, tên mẫu và thông tin về mẫu do khách hàng cung cấp. / Testing sample was sampled by customer, sample name and sample information were supplied by customer.
 Sample description : Mẫu còn nguyên bao bì và nhãn hiệu.
 As received sample is intact package and label.
3. Số lượng mẫu : 01
 Quantity
4. Ngày nhận mẫu : 04/01/2019
 Date of receiving
5. Thời gian thử nghiệm : 05/01/2019 – 11/01/2019
 Testing duration
6. Nơi gửi mẫu : **CÔNG TY TNHH VINOTEKA**
 Customer : **153/25 Nguyễn Văn Hưởng, P. Thảo Điền, Quận 2, Tp. Hồ Chí Minh**
7. Kết quả thử nghiệm :
 Test results

Tên chỉ tiêu Characteristic	Phương pháp thử Test method	Giới hạn phát hiện Limit of Detection	Kết quả thử nghiệm Test result
7.1. Hàm lượng sunphua dioxyt (SO ₂), Sulfur dioxide content	mg/L AOAC 2016 (990.28)	-	98,1
7.2. Hàm lượng chì, Lead content	mg/L QTTN/KT3 098 : 2016	0,018	Không phát hiện Not detected
7.3. Hàm lượng ochratoxin A, Ochratoxin A content	µg/L QTTN/KT3 223 : 2018 (Ref: AOAC 2016 (2000.03))	0,3	Không phát hiện Not detected
7.4. Hàm lượng metanol, Methanol content	mg/L AOAC 2016 (972.11)	-	39,1

TRƯỞNG PTN THỰC PHẨM
HEAD OF FOOD TESTING LAB



Nguyễn Thành Công

TL. GIÁM ĐỐC / PP. DIRECTOR
TRUNG PHÒNG THỬ NGHIỆM /
HEAD OF TESTING LAB.



Ngô Quốc Việt

1. Các kết quả thử nghiệm ghi trong phiếu này chỉ có giá trị đối với mẫu do khách hàng gửi đến. / Test results are valid for the namely submitted sample(s) only.
 2. Không được trích sao một phần phiếu kết quả thử nghiệm này nếu không có sự đồng ý bằng văn bản của Trung tâm Kỹ thuật 3.
 This Test Report shall not be reproduced, except in full, without the written permission by Quatest 3.
 3. N/A: không áp dụng. / Not applicable.
 4. Tên mẫu, tên khách hàng được ghi theo yêu cầu của nơi gửi mẫu. / Name of sample(s) and customer are written as customer's request.
 5. Độ không đảm bảo đo mở rộng ước lượng được tính với k = 2, mức tin cậy 95 %. Khách hàng có thể liên hệ theo địa chỉ dưới để biết thêm thông tin.
 Estimated expanded uncertainty of measurement with k = 2, at 95 % confidence level. Please contact Quatest 3 at the below address for further information

Head Office: 49 Pasteur, Dist. 1, HCMC, Vietnam
 Testing: No. 7, road No. 1, Bien Hoa 1 IZ, Dong Nai, Vietnam
 C5 lot, K1 road, Cat Lai IZ, Dist. 2, HCMC, Vietnam

Tel: (84-28) 3829 4274
 Tel: (84-251) 383 6212
 Tel: (84-28) 3742 3160

Fax: (84-28) 3829 3012
 Fax: (84-251) 383 6298
 Fax: (84-28) 3742 3174

Website: www.quatest3.com.vn
 E-mail: tn-eskh@quatest3.com.vn
 E-mail: tn-eskh@quatest3.com.vn